


STAHLBETONSTÜRZE UNBEDINGT VERWEKEN
(AUFLAGE MITTELPFETTEN)

Trocken




36 ⁵	1.60	1.00	4.79	1.00	1.60	36 ⁵
36 ⁵	2.49	1.01	2.11 ⁵	2.01	2.36 ⁵	36 ⁵
36 ⁵	3.45	1.5	2.05 ⁵	1.26		36 ⁵
36 ⁵	5.65 ⁵	10	10	10	5.26	36 ⁵
36 ⁵	3.90	10	10	10	5.26	36 ⁵

36 ⁵	3.90	10	7.26	4.50	36 ⁵
36 ⁵	2.50	10	4.06	10	36 ⁵
36 ⁵	3.95	10	10	10	36 ⁵





36 ⁵	2.50	10	1.62 ⁵	151.10	151.03 ⁵	34
36 ⁵	2.55	1.72 ⁵	2.43 ⁵	11.99	4.55	A


36 ⁵	2.32	2.31	2.31	2.32	9.99	36 ⁵
36 ⁵	2.99	1.01	1.99	1.26	2.99	36 ⁵
36 ⁵	3.50	10	1.21	10	4.35	36 ⁵
36 ⁵	4.81	10	4.35	10	4.35	36 ⁵



OST-ANSICHT



NORD-ANSICHT



Diese Bauvorlage
ist Bestandteil der
Baugenehmigung
der Großen Kreisstadt
Arnsberg für Bauordnung
Arnsberg

